European Journal of Pharmacology – Molecular Pharmacology Section, 266 (1994) 333–335
© 1994 Elsevier Science B.V. All rights reserved 0922-4106/94/$07.00

Author index

Akera, T., see Jiang, J. (266) 155
Åkerman, K.E.O., see Jansson, C.C. (266) 165
Amejdki-Chab, N., see Bonnet, J.-J. (266) 87

Badia, A., see Sallés, J. (266) 35
Badia, A., see Sallés, J. (266) 301
Balduini, W., Reno, F., Costa, L.G. and Cattabeni, F.
Developmental neurotoxicity of ethanol: further evidence for an involvement of muscarinic receptor-stimulated phosphoinositide hydrolysis (266) 283
Barchi, R.L., see Krafte, D.S. (266) 245
Bastone, A., see Cagnotto, A. (266) 131
Belcourt, A., see Bricca, G. (266) 25
Belloni, P.A., see Letari, O. (266) 219
Benmansour, S., see Bonnet, J.-J. (266) 87
Beukers, M.W., Kerkhof, C.J.M., IJzerman, A.P. and Soudijn, W.
Nucleoside transport inhibition and platelet aggregation in human blood: R75231 and its enantiomers, draflazine and R88016 (266) 57
Bonnet, J.-J., Benmansour, S., Amejdki-Chab, N. and Costentin, J.
Effect of CH_3HgCl and several transition metals on the dopamine neuronal carrier; peculiar behaviour of Zn^{2+} (266) 87
Bousquet, P., see Bricca, G. (266) 25
Bressie, S.M., see Corpus, V.M. (266) 197
Bricca, G., Greney, H., Zhang, J., Dontenwill, M., Stutzmann, J., Belcourt, A. and Bousquet, P.
Human brain imidazoline receptors: further characterization with [^{3}H]clonidine (266) 25
Burger, R., see Götz, M.E. (266) 291
Burnett, J.P., see Sharp, R.L. (266) R1

Cagnotto, A., Bastone, A. and Mennini, T.
[^{3}H](+)-Pentazocine binding to rat brain σ_1 receptors (266) 131
Cattabeni, F., see Balduini, W. (266) 283
Challiss, R.A.J., see Simpson, P.B. (266) 309
Chan, W.W., see Götz, M.E. (266) 291
Chandler, L.J., see Davda, R.K. (266) 237
Charpentier, S., Sagan, S., Naim, M., Delfour, A. and Nicolas, P.
Mechanism of δ-opioid receptor selection by the address domain of dermenkephalin (266) 175
Chazot, P.L., see Cik, M. (266) R1
Chen, S.C., see Götz, M.E. (266) 291
Chudzik, J., see Helmeste, D.M. (266) 327
Cik, M., Chazot, P.L. and Stephenson, F.A.
Expression of NMDAR1-1a (N598Q)/NMDAR2A receptors results in decreased cell mortality (266) R1
Conaty, C., see Pritchard, G.A. (266) 107
Corpus, V.M., Bressie, S.M., Stillwell, L.I. and Olins, G.M.
Interaction of guanidinium compounds and K^+ channel modulators with imidazoline binding sites in rabbit kidney (266) 197
Costa, L.G., see Balduini, W. (266) 283
Costentin, J., see Bonnet, J.-J. (266) 87

Davda, R.K., Chandler, L.J. and Guzman, N.J.
Protein kinase C modulates receptor-independent activation of endothelial nitric oxide synthase (266) 237
Davison, K., see Krafte, D.S. (266) 245
De Kloet, E.R., see Meijer, O.C. (266) 255
Delfour, A., see Charpentier, S. (266) 175
Demattos, S., see MacKenzie, R.G. (266) 79
Diamond, J., see Langlands, J.M. (266) 229
Dirr, A., see Götz, M.E. (266) 291
Dokita, S., Smith, S.D., Nishimoto, T., Wheeler, M.A. and Weiss, R.M.
Involvement of nitric oxide and cyclic GMP in rabbit urethral relaxation (266) 269
Dontenwill, M., see Bricca, G. (266) 25
Dos Santos Cruz, J. and Matsuda, H.
Depressive effects of arenobufagin on the delayed rectifier K^+ current of guinea-pig cardiac myocytes (266) 317
Dugrenier, N., see Krafte, D.S. (266) 245

Epand, R.M., see Nie, S.-Q. (266) 11
Estep, K., see Krafte, D.S. (266) 245
Ezrin, A.M., see Krafte, D.S. (266) 245

Fahey, J.M., see Pritchard, G.A. (266) 107
Ffrench-Mullen, J.M.H., see Plata-Salamán, C.R. (266) 1
Folco, G., see Letari, O. (266) 219
Foster, A.C., see Grimwood, S. (266) 43

Gascón, S., see Sallés, J. (266) 35
Götz, M.E., Dirr, A., Burger, R., Janetzky, B., Weinmüller, M., Chan, W.W., Chen, S.C., Reichmann, H., Rausch, W.-D. and Riederer, P.
Effect of lipoic acid on redox state of coenzyme Q in mice treated with 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine and diethyldithiocarbamate (266) 291
Greney, H., see Bricca, G. (266) 25
Grimwood, S., Struthers, L. and Foster, A.C.
Polyamines modulate [^{3}H]L-689,560 binding to the glycine site of the NMDA receptor from rat brain (266) 43
Guzman, N.J., see Davda, R.K. (266) 237

Hampson, D.R., see Taverna, F.A. (266) 181
Hashimoto, K., Mantione, C.R., Spada, M.R., Neumeyer, J.L. and London, E.D.
Further characterization of [^{3}H]ifenprodil binding in rat brain (266) 67
Helmeste, D.M., Chudzik, J. and Tang, S.W.
Interaction of lectins with human platelet serotonin transporter (266) 327
Hess, J.F., see Schneck, K.A. (266) 277
Hosoki, E. and Iijima, T.
Chloride-sensitive Ca^{2+} entry by histamine and ATP in human aortic endothelial cells (266) 213

Iijima, T., see Hosoki, E. (266) 213
IJzerman, A.P., see Beukers, M.W. (266) 57
Ivorra, D., see Sallés, J. (266) 35

Jackson, B., see Perich, R.B. (266) 201
Jane, D., see Kemp, M. (266) 187

Janetzky, B., see Götz, M.E. (266) 291
Jansson, C.C., Marjamäki, A., Luomala, K., Savola, J.-M., Scheinin, M. and Åkerman, K.E.O.
Coupling of human α_2-adrenoceptor subtypes to regulation of cAMP production in transfected S115 cells (266) 165
Jauzac, P., see Polastron, J. (266) 139
Jiang, J., Temma, K. and Akera, T.
Dual effects of nicardipine: evidence from intracellular Ca^{2+} transients and twitch contractions observed in single myocytes obtained from rat heart (266) 155
Johnston, C.I., see Perich, R.B. (266) 201
Jones, A., see Kemp, M. (266) 187
Jones, P., see Kemp, M. (266) 187
Josef, K., see Krafte, D.S. (266) 245

Kallen, R.G., see Krafte, D.S. (266) 245
Karaki, H., see Kitajima, S. (266) 263
Kawana, S., see Miyamoto, A. (266) 147
Kemp, M., Roberts, P., Pook, P., Jane, D., Jones, A., Jones, P., Sunter, D., Udvarhelyi, P. and Watkins, J.
Antagonism of presynaptically mediated depressant responses and cyclic AMP-coupled metabotropic glutamate receptors (266) 187
Kerkhof, C.J.M., see Beukers, M.W. (266) 57
Kimura, H., see Miyamoto, A. (266) 147
Kitajima, S., Ozaki, H. and Karaki, H.
Role of different subtypes of P_2 purinoceptor on cytosolic Ca^{2+} levels in rat aortic smooth muscle (266) 263
Krafte, D.S., Davison, K., Dugrenier, N., Estep, K., Josef, K., Barchi, R.L., Kallen, R.G., Silver, P.J. and Ezrin, A.M.
Pharmacological modulation of human cardiac Na^+ channels (266) 245
Kwan, C.-Y., see Nie, S.-Q. (266) 11

Langlands, J.M. and Diamond, J.
The effect of Ca^{2+} on the translocation of protein kinase C in bovine tracheal smooth muscle (266) 229
Letari, O., Miozzo, A., Folco, G., Belloni, P.A., Sala, A., Rovati, G.E. and Nicosia, S.
Effects of loratadine on cytosolic Ca^{2+} levels and leukotriene release: novel mechanisms of action independent of the antihistamine activity (266) 219
London, E.D., see Hashimoto, K. (266) 67
Luomala, K., see Jansson, C.C. (266) 165

MacKenzie, R.G., VanLeeuwen, D., Pugsley, T.A., Shih, Y.-H., Demattos, S., Tang, L., Todd, R.D. and O'Malley, K.L.
Characterization of the human dopamine D_3 receptor expressed in transfected cell lines (266) 79
Mailleux, P. and Vanderhaeghen, J.-J.
Glutamatergic regulation of cannabinoid receptor gene expression in the caudate-putamen (266) 193
Mais, D.E., see True, T.A. (266) 51
Majarais, I., see Nie, S.-Q. (266) 11
Mantione, C.R., see Hashimoto, K. (266) 67
Marjamäki, A., see Jansson, C.C. (266) 165
Matsuda, H., see Dos Santos Cruz, J. (266) 317
May, P.C., see Sharp, R.L. (266) R1
Mayne, N.G., see Sharp, R.L. (266) R1
Meijer, O.C. and De Kloet, E.R.
Corticosterone suppresses the expression of 5-HT_{1A} receptor mRNA in rat dentate gyrus (266) 255
Mennini, T., see Cagnotto, A. (266) 131
Meunier, J.-C., see Polastron, J. (266) 139
Miller, L.G., see Pritchard, G.A. (266) 107
Minocha, S.C., see Pritchard, G.A. (266) 107
Miozzo, A., see Letari, O. (266) 219
Miyamoto, A., Kawana, S., Kimura, H. and Ohshika, H.
Impaired expression of $G_{s\alpha}$ protein mRNA in rat ventricular myocardium with aging (266) 147
Morii, N., see Tohda, M. (266) 19

Nahorski, S.R., see Simpson, P.B. (266) 309
Naim, M., see Charpentier, S. (266) 175
Nakamura, J., see Tohda, M. (266) 19
Narumiya, S., see Tohda, M. (266) 19
Neumeyer, J.L., see Hashimoto, K. (266) 67
Nicolas, P., see Charpentier, S. (266) 175
Nicosia, S., see Letari, O. (266) 219
Nie, S.-Q., Majarais, I., Kwan, C.-Y. and Epand, R.M.
Analogues of tetramethylpyrazine affect membrane fluidity of liposomes: relationship to their biological activities (266) 11
Nishimoto, T., see Dokita, S. (266) 269
Nomura, Y., see Tohda, M. (266) 19

Oblin, A. and Schoemaker, H.
Complex allosteric modulation of the binding of the NMDA receptor antagonist [^{3}H]CGP39653 (266) 103
Ohshika, H., see Miyamoto, A. (266) 147
Olins, G.M., see Corpus, V.M. (266) 197
O'Malley, K.L., see MacKenzie, R.G. (266) 79
Ozaki, H., see Kitajima, S. (266) 263

Perich, R.B., Jackson, B. and Johnston, C.I.
Structural constraints of inhibitors for binding at two active sites on somatic angiotensin converting enzyme (266) 201
Plata-Salamán, C.R. and Ffrench-Mullen, J.M.H.
Interleukin-1β inhibits Ca^{2+} channel currents in hippocampal neurons through protein kinase C (266) 1
Polastron, J., Meunier, J.-C. and Jauzac, P.
Chronic morphine induces tolerance and desensitization of μ-opioid receptor but not down-regulation in rabbit (266) 139
Pook, P., see Kemp, M. (266) 187
Pritchard, G.A., Fahey, J.M., Minocha, S.C., Conaty, C. and Miller, L.G.
Polyamine potentiation and inhibition of NMDA-mediated increases of intracellular free Ca^{2+} in cultured chick cortical neurons (266) 107
Przewłocki, R., see Sowa, G. (266) 125
Pugsley, T.A., see MacKenzie, R.G. (266) 79

Rabkin, S.W.
Indapamide alters the cyclic AMP signal transduction pathway in cardiomyocytes in culture (266) 117
Ransom, R.W., see Schneck, K.A. (266) 277
Rausch, W.-D., see Götz, M.E. (266) 291
Reichmann, H., see Götz, M.E. (266) 291
Reno, F., see Balduini, W. (266) 283
Riederer, P., see Götz, M.E. (266) 291
Roberts, P., see Kemp, M. (266) 187
Roberts, P.J., see Toms, N.J. (266) 63
Rovati, G.E., see Letari, O. (266) 219

Sagan, S., see Charpentier, S. (266) 175
Sakuta, H.
Inhibition by histamine H_1 receptor antagonists of endogenous glibenclamide-sensitive K^+ channels in follicle-enclosed *Xenopus* oocytes (266) 99
Sala, A., see Letari, O. (266) 219
Sallés, J., Gascón, S., Ivorra, D. and Badia, A.
In vivo recovery of α_1-adrenoceptors in rat myocardial tissue after alkylation with phenoxybenzamine (266) 35
Sallés, J. and Badia, A.
Selective enrichment with α_{1A}- and α_{1B}-adrenoceptor subtypes in rat brain cortical membranes (266) 301

Savola, J.-M., see Jansson, C.C. (266) 165
Scheinin, M., see Jansson, C.C. (266) 165
Schneck, K.A., Hess, J.F., Stonesifer, G.Y. and Ransom, R.W.
Bradykinin B_1 receptors in rabbit aorta smooth muscle cells in culture (266) 277
Schoemaker, H., see Oblin, A. (266) 103
Sharp, R.L., May, P.C., Mayne, N.G., Snyder, Y.M. and Burnett, J.P.
Cyclothiazide potentiates agonist responses at human AMPA/kainate receptors expressed in oocytes (266) R1
Shih, Y.-H., see MacKenzie, R.G. (266) 79
Silver, P.J., see Krafte, D.S. (266) 245
Simpson, P.B., Challiss, R.A.J. and Nahorski, S.R.
Potentiation of *N*-methyl-D-aspartate-evoked elevation of intracellular Ca^{2+} concentrations by exogenous glycine in cerebellar granule cells (266) 309
Smith, S.D., see Dokita, S. (266) 269
Snyder, Y.M., see Sharp, R.L. (266) R1
Soudijn, W., see Beukers, M.W. (266) 57
Sowa, G. and Przewłocki, R.
cAMP analogues and cholera toxin stimulate the accumulation of nitrite in rat peritoneal macrophage cultures (266) 125
Spada, M.R., see Hashimoto, K. (266) 67
Stephenson, F.A., see Cik, M. (266) R1
Stillwell, L.I., see Corpus, V.M. (266) 197
Stonesifer, G.Y., see Schneck, K.A. (266) 277
Struthers, L., see Grimwood, S. (266) 43
Stutzmann, J., see Bricca, G. (266) 25
Sunter, D., see Kemp, M. (266) 187

Takasu, T., see Tohda, M. (266) 19
Tang, L., see MacKenzie, R.G. (266) 79
Tang, S.W., see Helmeste, D.M. (266) 327
Taverna, F.A. and Hampson, D.R.
Properties of a recombinant kainate receptor expressed in baculovirus-infected insect cells (266) 181
Temma, K., see Jiang, J. (266) 155
Todd, R.D., see MacKenzie, R.G. (266) 79
Tohda, M., Takasu, T., Nakamura, J., Morii, N., Narumiya, S. and Nomura, Y.
Inhibitory effects of botulinum toxin on 5-HT_{1C} receptor-induced Cl^- current in *Xenopus* oocytes (266) 19
Toms, N.J. and Roberts, P.J.
NMDA receptor-mediated stimulation of rat cerebellar nitric oxide formation is modulated by cyclic AMP (266) 63
True, T.A. and Mais, D.E.
Localization of [^{125}I]SAP-N_3 binding in the human platelet thromboxane A_2/prostaglandin H_2 receptor by proteolytic cleavage analysis (266) 51

Udvarhelyi, P., see Kemp, M. (266) 187

Vanderhaeghen, J.-J., see Mailleux, P. (266) 193
VanLeeuwen, D., see MacKenzie, R.G. (266) 79

Watkins, J., see Kemp, M. (266) 187
Weinmüller, M., see Götz, M.E. (266) 291
Weiss, R.M., see Dokita, S. (266) 269
Wheeler, M.A., see Dokita, S. (266) 269

Zhang, J., see Bricca, G. (266) 25